

# 102-400 - LPIC-1 Exam 102, Part 2 of 2, version 4.0

<http://www.certleader.com/102-400-dumps.html>



1. CORRECT TEXT

What command displays all aliases defined in the current shell? (Specify the command without any path information)

**Answer:** alias, alias -p

2. Which command makes the shell variable named VARIABLE visible to subshells?

A. export \$VARIABLE

B. export VARIABLE

C. set \$VARIABLE

D. set VARIABLE

E. env VARIABLE

**Answer:** B

3. What output will the command seq 10 produce?

A. A continuous stream of numbers increasing in increments of 10 until stopped.

B. The numbers 1 through 10 with one number per line.

C. The numbers 0 through 9 with one number per line.

D. The number 10 to standard output.

**Answer:** B

4. CORRECT TEXT

What is the default name of the configuration file for the Xorg X11 server? (Specify the file name only without any path.)

**Answer:** xorg.conf

5. Which file used by XDM specifies the default wallpaper?

A. /etc/X11/xdm/Xsetup

B. /etc/X11/xdm.conf

C. /etc/X11/xdm/Defaults

D. /etc/X11/defaults.conf

**Answer:** A

6. CORRECT TEXT

Which command can be used to investigate the properties for a particular window in X by clicking that window? (Specify ONLY the command without any path or parameters.)

**Answer:** /usr/bin/xwininfo, xwininfo

7. What is the purpose of a screen reader?

- A. It reads text displayed on the screen to blind or visually impaired people.
- B. It reads the parameters of the attached monitors and creates an appropriate X11 configuration.
- C. It displays lines and markers to help people use speed reading techniques.
- D. It manages and displays files that contain e-books.

**Answer:** A

8. Which of the following commands shows the current color depth of the X Server?

- A. xcd
- B. xcdepth
- C. xwininfo
- D. xcolordepth
- E. cat /etc/X11

**Answer:** C

9. The X11 configuration file xorg.conf is grouped into sections. How is the content of the section SectionName associated with that section?

- A. It is placed in curly brackets as in Section SectionName { ... }.
- B. It is placed between a line containing Section "SectionName" and a line containing EndSection.
- C. It is placed between the tags <Section name="SectionName"> and </Section>
- D. It is placed after the row [SectionName].

E. It is placed after an initial unindented Section "SectionName" and must be indented by exactly one tab character.

**Answer: B**

10. How is a display manager started?

- A. It is started by a user using the command startx.
- B. It is started like any other system service by the init system.
- C. It is started by inetd when a remote hosts connects to the X11 port.
- D. It is started automatically when a X11 user logs in to the system console.

**Answer: B**

11. CORRECT TEXT

What is the name of the simple graphical login manager that comes with a vanilla X11 installation? (Specify ONLY the command without any path or parameters.)

**Answer: xdm**

12. For accessibility assistance, which of the following programs is an on-screen keyboard?

- A. xkb
- B. atkb
- C. GOK
- D. xOSK

**Answer: C**

13. Which of the following are tasks handled by a display manager like XDM or KDM? (Choose TWO correct answers.)

- A. Start and prepare the desktop environment for the user.
- B. Configure additional devices like new monitors or projectors when they are attached.
- C. Handle the login of a user.
- D. Lock the screen when the user was inactive for a configurable amount of time.
- E. Create an X11 configuration file for the current graphic devices and monitors.

**Answer:** A,C

14. Which of the following fields can be found in the /etc/group file? (Choose THREE correct answers.)

- A. The list of users that belong to the group.
- B. The home directory of the group.
- C. The name of the group.
- D. The description of the group.
- E. The password of the group.

**Answer:** A,C,E

15. What is NOT contained in the locale setting of the operating system?

- A. currency symbol
- B. language
- C. timezone
- D. thousands separator

**Answer:** C

16. To prevent a specific user from scheduling tasks with at, what should the administrator do?

- A. Add the specific user to /etc/at.allow file.
- B. Add the specific user to [deny] section in the /etc/atd.conf file.
- C. Add the specific user to /etc/at.deny file.
- D. Add the specific user to nojobs group.
- E. Run the following: atd --deny [user].

**Answer:** C

17. Where are user specific crontabs stored?

- A. In the database file /etc/crontab.db which is shared by all users.
- B. As individual per-user files within /var/spool/cron.

- C. As individual per-user files in /etc/cron.user.d.
- D. In the .crontab file in the user's home directory.
- E. In the file /var/cron/user-crontab which is shared by all users.

**Answer: B**

18. CORRECT TEXT

The system's timezone may be set by linking /etc/localtime to an appropriate file in which directory? (Provide the full path to the directory, without any country information)

**Answer: /usr/share/zoneinfo/**

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 102-400 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/102-400-dumps.html>