

1D0-437 - CIW PERL FUNDAMENTALS

<http://www.certleader.com/1D0-437-dumps.html>



1. Consider the following statement: `$buffer = a string`; Also consider that a file named `test.txt` contains the following line of text: `One line of test text`. What is the output of the following lines of code? `$file = "test.txt";`

```
open (OUT, "<$file") || (die "cannot open $file: $!"); read(OUT, $buffer, 15, 4); print $buffer;
```

- A. a strOne line of test
- B. a stOne line of tes
- C. a strOne line of tes
- D. a stOne line of test

Answer: B

2. Consider the following lines of code: `@array1 = ("apples", "oranges", "pears", "plums");` `foreach (@array1) {print "$_\n"};` What is the result of these lines of code?

- A. applesorangespearsplums
- B. apples oranges pears plums
- C. apples
- D. apples oranges pears plums

Answer: D

3. Consider the following program code:

```
%hash = (small => 8oz, medium => 16oz, large => 32oz); @keys = sort(keys(%hash)); for ($i = 0; $i < 3;
```

```
$i++) {
```

```
print($hash{$keys[$i]}\n); }
```

 What is the result of executing this program code?

- A. The code will fail at line 1 because a hash cannot contain both numeric and string data.
- B. The code will execute without error but will output nothing.
- C. The code will output the following: `32oz 16oz 8oz`
- D. The code will output the following: `large mediumsmall`

Answer: C

4. Which statement will print the capital attribute of the \$kansas object?

- A. print ("capital"=>\$kansas);
- B. print {\$kansas}>=>(capital);
- C. print (capital)<={\$kansas};
- D. print \$kansas->{"capital"};

Answer: D

5. Consider the following program code:@array = (10, Masami, 10..13, Niklas); for (\$i = 1; \$i < \$#array;

\$i++) {

print(\$array[\$i]); } What is the result of executing this program code?

- A. The code will output the following: Masami 10 11 12 13
- B. The code will output the following: 10 Masami 10 11 12 13
- C. The code will output the following: 10 Masami 11 12 13 Niklas
- D. The code will output the following: Masami 10 11 12 13 Niklas

Answer:A

6. Consider the following program code:\$x = 10;LOOP: while (\$x < 15) {

print (\$x); if (\$x >= 14 && \$x <= 20) {

\$x += 2;

redo LOOP; } else {

\$x++; } What is the result of executing this program code?

- A. The code will output the following: 11 12 13 14 15 16 17 1819
- B. The code will output the following: 10 11 12 13 14 16 18 2022
- C. The code will output the following: 10 11 12 13 14 16 18 20
- D. The code will output the following: 10 11 12 13 14 15 16 1718 19 20

Answer: B

7. Assuming $a = 2$, which of the following evaluates as false?

- A. "False"
- B. a
- C. $a < 0$
- D. 1

Answer: C

8. Consider the following program code: `$y = 1; $x = 2; $z = 3; do{`

`print ($y); } while ($y eq 2); do {`

`print ($x); } until ($x eq 2); print ($z);` What is the result of executing this program code?

- A. The code will output the following: 1 2 3
- B. The code will output the following:
- C. The code will output the following: 2 3
- D. The code will output the following: 3 2 1

Answer:A

9. Running your Perl scripts with a `d` switch will perform which task?

- A. Invoke the Perl debugger
- B. Send standard error to a file
- C. Disable breakpoints
- D. Display a stack trace

Answer:A

10. Which line of code represents the correct syntax to establish a reference to a database handle?

- A. `$dbh = DBI::connect("dbi:mysql:myPhoneBook");`

B. `$dbh = DBD:->connect("dbi:mysql:myPhoneBook");`

C. `$dbh = DBD::connect("mysql:dbi:myPhoneBook");`

D. `$dbh = DBI->connect("dbi:mysql:myPhoneBook");`

Answer: D

11. Consider the following program code: `$val = 5; if ($val++ == 6) {`

`print("True "); } else {`

`print("False "); } if ($val++ == 6) {`

`print("True "); } else {`

`print("False "); }` What is the output of this code?

A. False False

B. False True

C. True False

D. True True

Answer: B

12. Consider the following program code: `%employees = ("Lucy", "Accounting", "Armando", "Finance",`

`"Adrienne", "Marketing"); delete($employees{"Lucy"});` Which of the following lines of code has the same effect as the preceding code?

A. `%employees = ("Adrienne", "Marketing");`

B. `%employees = ("Lucy", "Accounting");`

C. `%employees = ("Lucy", "Accounting", "Armando", "Finance");`

D. `%employees = ("Armando", "Finance", "Adrienne", "Marketing");`

Answer: D

13. Consider that a file named test.txt contains this line of text: One line of test text. What is the output of

the following lines of code? `$file = "test.txt"; open (OUT, "<$file") || (die "cannot open $file: $!"); seek(OUT, 15, 0); read(OUT, $buffer, 5); print $buffer . "\n"; print tell(OUT);`

A. t text

20

B. t tex

19

C. t text

19

D. t tex 20

Answer: D

14. Consider the program code in the attached exhibit. What is the result of executing this program code?

A. The code will output the following: 20 100 Apple Grapefruit Orange

B. The code will output the following: Apple Grapefruit Orange 20 100

C. The code will output the following: 100 20 Apple Grapefruit Orange

D. The code will output the following: Orange Grapefruit Apple 100 20

Answer: B

15. Consider the following code: `%chars = ("a", "100", "b", "90", "c", "80");` Which one of the following choices will reverse the key/value pairing of the code?

A. `reverse(%chars);`

B. `%chars = reverse(%chars);`

C. `reverse(%chars) = %chars;`

D. `invert(%chars);`

Answer: B

16. Consider the following program code: `$x = 0;$y = 5;do{
print ($x $y);
} while (++$x < 5 && ++$y < 10);print ($x $y);`What is the result of executing this program code?

- A. The code will output the following: 1 6 2 7 3 8 4 8 5 10 6 11
- B. The code will output the following: 0 5 1 6 2 7 3 8 4 9 4 9
- C. The code will output the following: 0 5 1 6 2 7 3 8 4 9 5 10
- D. The code will output the following: 0 5 1 6 2 7 3 8 4 9 5 9

Answer: D

17. Which one of the following choices uses the correct syntax for a valid array assignment?

- A. `@cities = Akron, Memphis, Ogden, Phoenix;`
- B. `@cities =~ ("Akron, Memphis");`
- C. `@cities =~ (Akron, Memphis, Ogden, Phoenix);`
- D. `@cities = ("Akron");`

Answer: D

18. Consider the following program code: `$x = 150;$y = "250";
if (($x + 100) == $y) { print("1 "); } if ("250" == $y) { print("2 "); } if ("250" eq $y) { print("3 "); } if ($x lt $y)
{ print("4 "); } if ($x ge $y) { print("5 "); }` What is the result of executing this program code?

- A. The code will output the following: 1 2 3 4
- B. The code will output the following: 1 3 4
- C. The code will output the following: 1 3 5
- D. The code will output the following: 1 2 3 4 5

Answer:A

19. Consider the following code block:`BEGIN {print ("Jan ");} BEGIN {print ("Feb ");} END {print ("Mar ");}`

END {print ("Apr ");} Print ("May "); What is the result of this code block?

- A. Jan Feb May Apr Mar
- B. Jan Feb Mar Apr May
- C. Mar Apr May Jan Feb
- D. May Jan Feb Mar Apr

Answer:A

20. Consider the following program code: @stack = (10, 10..25); push(@stack, yellow);

shift(@stack);push(@stack, white);print shift(@stack);What is the result of executing this program code?

- A. The code will fail at line 3 because shift requires two arguments.
- B. The code will output the following: 11
- C. The code will output the following: 10
- D. The code will output the following: white

Answer: C

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1D0-437 Exam with Our Prep Materials Via below:

<http://www.certleader.com/1D0-437-dumps.html>