


## 1D0-635 - CIW JavaScript Specialist

<http://www.certleader.com/1D0-635-dumps.html>



1. Assuming the function `<body onload="DisplayName()">` is called, which script block will display Hello Joe in the document window after you enter the name Joe?

A. `<script type="text/javascript">`

```
function DisplayName(void){  
  
var YourName = window.prompt("What is your name?", "Please enter your name");  
  
document.write("Hello " + YourName);  
  
}  
  
</script>
```

B. `<script type="text/javascript">`

```
function DisplayName(){  
  
var YourName = window.prompt("What is your name?", "Please enter your name");  
  
document.write("Hello " + YourName);  
  
}  
  
</script>
```

C. `<script type="text/javascript">`

```
function DisplayName(void){  
  
var YourName = document.prompt("What is your name?", "Please enter your name");  
  
document.write("Hello " + YourName);  
  
}  
  
</script>
```

D. `<script type="text/javascript">`

```
function DisplayName(){  
  
var YourName = document.prompt("What is your name?", "Please enter your name");  
  
document.write("Hello " + yourname);  
  
}  
  
</script>
```

**Answer: B**

2. Consider the following code fragment, which sets up the retrieval of an XML document named fish.xml and calls a function named showFish():  
`var xmlhttp = new XMLHttpRequest(); xmlhttp.open("GET", "fish.xml", true); xmlhttp.onreadystatechange = showFish(); xmlhttp.send();`  
Which line of code initializes the XMLHttpRequest object?

- A. `xmlhttp.send();`
- B. `var xmlhttp = new XMLHttpRequest();`
- C. `xmlhttp.open("GET", "fish.xml", true);`
- D. `xmlhttp.onreadystatechange = showFish();`

**Answer: C**

3. Which of the following demonstrate the correct syntax for the switch statement?

A. `var myName= "Paul"`

```
switch (myName){  
  
case "Peter"  
  
document.write("My name is Peter.<br />")  
  
break  
  
case "Paul"  
  
document.write("My name is Paul.<br />")  
  
break: (default);  
  
document.write("I do not have a name.<br />")  
  
}
```

B. `var myName= "Paul"`

```
switch (myName){  
  
case "Peter"  
  
document.write("My name is Peter.<br />")  
  
break  
  
case "Paul"
```

```
document.write("My name is Paul.<br />")

break: (default);

document.write("I do not have a name.<br />")

}

C. var myName= "Paul"

switch (myName){

case (Peter)

document.write("My name is Peter.<br />")

break

case (Paul)

document.write("My name is Paul.<br />")

break;

case: (default);

document.write("I do not have a name.<br />")

}

D. var myName= "Paul"

switch (myName){

case (Peter)

document.write("My name is Peter.<br />")

break

case (Paul)

document.write("My name is Paul.<br />")

break;

case: (default);

document.write("I do not have a name.<br />")

}
```

**Answer: A**

4. Consider the following code: `<script type="text/javascript"> var v1 = "alpha"; function f () { var v2 = "bravo"; alert (v1 + ", " + v2); } f(); v1="charlie"; alert (v1 + ", " + v2); </script>` What is the expected result when you run this script in the browser?

- A. An alert box displaying charlie, bravo
- B. An alert box displaying alpha, bravo followed by an error
- C. Two alert boxes displaying alpha, bravo and alpha, bravo respectively
- D. Two alert boxes displaying alpha, bravo and charlie, bravo respectively, followed by an error

**Answer: B**

5. Which of the following is a valid variable name in JavaScript?

- A. this
- B. that
- C. 2that
- D. 2this

**Answer: B**

6. What basic code is needed to define a function in JavaScript?

- A. `function myFunction { }`
- B. `define myFunction() { }`
- C. `function myFunction() { }`
- D. `define myFunction { return value; }`

**Answer: C**

7. When using AJAX, what is the purpose of the XMLHttpRequest object?

- A. To transfer an XML document to the Web server

- B. To request data from the Web server strictly in XML format
- C. To read and write to an XML file stored on the local machine
- D. To request either XML data or plaintext data from the Web server

**Answer: D**

8. Which statement will correctly call a JavaScript function without error?

- A. var myFunction()
- B. initiate myFunction()
- C. call myFunction()
- D. myFunction()

**Answer: D**

9. Consider only the following code: Which of the following would properly supply the sum of the two numbers?

- A. return sum;
- B. mySum (num1+num2);
- C. return num1+num2;
- D. return sum(num1+num2);

**Answer: C**

10. Which is the best technique to test a script for cross-browser compatibility?

- A. Use the W3C site's code validator to test the script.
- B. Test the script in various versions of the same browser.
- C. Test the script in various browsers, including various versions of the same browsers.
- D. Determine the most frequently used browser for your target audience and then test the script in that browser.

**Answer: C**

11. Consider the following code: What is the expected result when you run this script in the browser?

- A. There will be no visible output, but the script will count down to 0.
- B. The script will output a countdown from 15 to 0 in the client window.
- C. The script will output a countdown from 15 to 1 in the client window.
- D. The script will output 15, then 1, because it will only write the first and last values of a while? statement.

**Answer: C**

12. Consider the following code:

Which statement could be used to determine the value of the first radio button?

- A. `document.rdoGroup1.value`
- B. `document.myForm.rdoGroup1[0].value`
- C. `document.getElementById(rdoGroup1).value`
- D. `document.getElementById("rdoGroup1").value`

**Answer: B**

13. Which choice best defines events and event handlers?

- A. An event can be an action initiated by the user, and an event handler specifies how JavaScript will react to the action.
- B. An event is an action initiated by the operating system, and an event handler is a function defined by the user.
- C. An event handler can be an action initiated by the user, and an event specifies how JavaScript will react to the action.
- D. An event is initiated by an error in JavaScript, and an event handler will attempt to bypass the error and continue.

**Answer: A**

14. Consider the following code:

What is the output when you run this script in the browser?

- A. An alert box displaying the following: John, Paul, George, Ringo
- B. An alert box displaying the following: Ringo, John, Paul, George
- C. An alert box displaying the following: Ringo, Paul, George
- D. An alert box displaying the following: John, Ringo, George

**Answer: D**

15. Which statement about the JavaScript form object is true?

- A. The JavaScript form object has no relationship to the X/HTML <form> element.
- B. You can use a single instance of the form object to represent multiple forms on a Web page.
- C. The form object cannot be used to access the individual field elements that compose the form.
- D. The JavaScript form object is available when the X/HTML <form></form> tags are present in the X/HTML document.

**Answer: D**



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 1D0-635 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/1D0-635-dumps.html>