

# 1Y0-253 - Implementing Citrix NetScaler 10.5 for App and Desktop Solutions

<http://www.certleader.com/1Y0-253-dumps.html>



1. Scenario: A company website currently has thousands of GIF images. Using the NetScaler, a Citrix Administrator needs to convert the GIFs to PNG format to reduce bandwidth requirements.

Which feature on the NetScaler can accomplish this task?

- A. Priority Queueing
- B. Content Switching
- C. Content Accelerator
- D. Front End Optimization

**Answer: D**

2. Which two items are needed to import an SSL certificate? (Choose two.)

- A. A public key
- B. A private key
- C. A root certificate
- D. A server certificate
- E. An intermediate certificate

**Answer: B,D**

3. An administrator is reviewing the following output:

VIP(141.128.58.149:80:UP:WEIGHTEDRR): Hits(38200495, 18/sec) Mbps(1.02)

Pers(OFF) Err(0)

Pkt(186/sec, 610 bytes) actSvc(4) DefPol(NONE) override(0)

Conn: Clt(253, 1/sec, OE[252\]) Svr(3)

S(141.128.49.40:80:UP) Hits(9443063, 4/sec, P[2602342, 0/sec\]) ATr(5)

Mbps(0.23)BWlmt(100 kbits) RspTime(112.58 ms)

Other: Pkt(36/sec, 712 bytes) Wt(10000) RHits(31555)

Conn: CSvr(42, 0/sec) MCSvr(20) OE(16) RP(11) SQ(0)

How much traffic is being passed through the public IP address based on the output displayed above?

- A. 100 kbits
- B. 1.02 Mbps
- C. 0.23 Mbps
- D. 112.58 ms

**Answer: B**

4. A Citrix Administrator is configuring MicroVPN with MDX wrapped apps to support StoreFront.

Which two settings must the administrator configure in the NetScaler Gateway Global settings under "Configure Domains for Clientless Access"? (Choose two.)

- A. StoreFront URL
- B. XenMobile Gateway URL
- C. App Controller Host name
- D. Secure Ticketing Authority

**Answer: A,C**

5. Scenario: An administrator has configured several load balancing virtual servers on a NetScaler to accelerate the Web content. After an update on the Web content platform, all the servers need the client IP address to perform tracking operations.

Which two tasks should the administrator complete to pass the client IP address to all the load balancing virtual servers? (Choose two.)

- A. Activate the Source-IP feature on the service.
- B. Configure a rewrite policy, then bind it globally.
- C. Activate the Client-IP Header insertion on the services.
- D. Configure a responder policy, then bind it to all servers.

**Answer: B,C**

6. A Citrix Administrator needs to record the usernames of all users who are accessing resources through the NetScaler Gateway.

Which two NetScaler tools can accomplish this task? (Choose two.)

- A. SNMP
- B. Syslog
- C. Dashboard
- D. NetScaler Insight Center

**Answer:** B,D

7. Which NetScaler feature will a Citrix Administrator configure in order to redirect all HTTP requests to HTTPS?

- A. Rewrite
- B. SSL VPN
- C. Content Switching
- D. Cache Redirection

**Answer:** A

8. What is required to configure a NetScaler Gateway cluster?

- A. Striped IP addresses
- B. Strict option is enabled
- C. Sticky option is enabled
- D. Enterprise or Platinum license

**Answer:** C

9. Which script should a Citrix Administrator use when creating an Active Directory load balance monitor through the NetScaler?

- A. nsldap.pl
- B. nssnmp.pl
- C. nsntlm-lwp.pl
- D. nsbmradius.pl

**Answer:** A

10. Scenario: For auditing requirements, NetScaler administrators are required to use their Active Directory accounts to log on to NetScaler. All NetScaler administrators belong to the NSAdmins Active Directory group.

Which configuration must an administrator create in NetScaler to meet the requirements of the scenario?

- A. User accounts
- B. NSAdmins group
- C. Authorization policy
- D. Service Groups policy

**Answer: B**

11. Scenario: A number of administrators received the following error when they attempted to connect to the Configuration Utility using a secured HTTPS connection:

The site's security certificate is not trusted!

One of the administrators installed a certificate from a trusted Certificate Authority on the NetScaler and is planning to configure the Configuration Utility to use this certificate.

Which NetScaler command must the administrator run at the command-line interface to configure the Configuration Utility with the new certificate?

- A. set ssl service
- B. set ssl vserver
- C. bind ssl service
- D. bind ssl vserver

**Answer: C**

12. Scenario: A company had a single datacenter location with a single NetScaler installed. A second datacenter location was added and an administrator installed a second Citrix NetScaler at the second datacenter location. The NetScaler is used for load balancing internal infrastructure solutions.

The administrator plans to configure the environment so that it will continue to work even if there is a datacenter failure. Only the primary datacenter location is connected to the Internet. The configuration has to be synchronized automatically so that the configuration of both appliances is always identical.

How should the administrator configure the NetScaler devices so that continuity is maintained in the event of a datacenter failure?

- A. As a GSLB cluster

- B. In a VRRP configuration
- C. As a high availability pair
- D. As standalone appliances

**Answer: C**

13. An administrator notices that a NetScaler high availability (HA) pair has changed the primary node several times in the past few days due to intermittent issues.

What could the administrator configure to ensure that HA failures are alerted?

- A. SNMP
- B. Syslog
- C. Route Monitors
- D. Failover Interface Set

**Answer: A**

14. When a user launches a published version of Notepad, the user receives the following error message:

"Cannot connect to the Citrix XenApp server.SSL Error: The proxy denied access to 10; STA393B6A5D1088; 9764757E39D0BEBB0BFC66E9EE146FF4 port 1494."

What could be the cause of this error message?

- A. Web Interface CANNOT reach the XML broker.
- B. Web Interface CANNOT reach the XenApp server.
- C. NetScaler Gateway CANNOT reach the XenApp server.
- D. NetScaler Gateway CANNOT reach the Secure Ticket Authority server.

**Answer: D**

15. Scenario: An administrator plans to troubleshoot connections to the SSL virtual server configured on the NetScaler by using the WireShark tool. The administrator created a network trace file.

What will the administrator need to decrypt the network trace?

- A. NS-root key
- B. NS-server key

- C. Private key of the root certification authority
- D. Private key of the certificate that is bound to the virtual server

**Answer: D**

16. Scenario: Management has requested monthly detailed performance reports for an online Web application. Management has also requested real-time monitoring of the environment with the possibility of exporting historical reports.

Which type of reporting or monitoring tool should an administrator use to meet the requirements of this scenario?

- A. SNMP
- B. Syslog
- C. Citrix Command Center
- D. NetScaler Insight Center

**Answer: D**

17. A Citrix Administrator receives information that users are having difficulty logging into the NetScaler Gateway Portal, where they access published resources, applications and desktops.

What should the administrator configure on the NetScaler to view these events and identify the cause?

- A. Syslog
- B. ns.conf
- C. AppFlow
- D. nsconmsg

**Answer: A**

18. Which two steps must a Citrix Administrator complete to configure the SSL Offloading feature on a NetScaler appliance? (Choose two.)

- A. Create a DNS virtual server.
- B. Configure an AAA virtual server.
- C. Create an SSL VPN virtual server.
- D. Create a load balancing virtual server.

E. Import a valid certification-key pair and bind it to the virtual server.

**Answer:** D,E

19. Which type of connection is used when users launch a XenDesktop published application from Worx Home?

- A. VPN only
- B. ICA Proxy
- C. Micro VPN only
- D. ICA through a Micro VPN

**Answer:** D

20. Scenario: A recent security audit identified that communications between the NetScaler Gateway and the STA were NOT secure. A Citrix Administrator was asked to secure this communication.

What must the administrator install as one of the steps to secure communications between the NetScaler Gateway and the STA?

- A. A root certificate on the NetScaler virtual server.
- B. A server certificate on the server running the STA.
- C. A server certificate from the STA server on the NetScaler virtual server.
- D. An HTTPS virtual server on the NetScaler to load balance STA servers.

**Answer:** B



## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 1Y0-253 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/1Y0-253-dumps.html>