

1Y0-301 - Deploying Citrix XenDesktop 7.6 Solutions

<http://www.certleader.com/1Y0-301-dumps.html>



1. Scenario: A Citrix Engineer needs to deploy Citrix Receiver using a custom Client Name value. The engineer uses the install command `CitrixReceiver /CLIENT_NAME=Terminal`. A user later renames the computer and the custom client name is lost. Which additional install parameter could the engineer have used to prevent the custom client name from being lost?

- A. `SELFSERVICEMODE=FALSE`
- B. `ALLOW_CLIENTHOSTEDAPPSURL`
- C. `CLIENT_NAME=%COMPUTERNAME%`
- D. `ENABLE_DYNAMIC_CLIENT_NAME=NO`

Answer: D

2. In which two ways could a Citrix Engineer bind a certificate to a StoreFront server?

(Choose two.)

- A. Use the CertUtil.exe tool.
- B. Use the IIS Management Console.
- C. Run the 'netsh http add sslcert' command.
- D. Use Cert Manager in Microsoft Management Console (MMC).

Answer: B, C

3. Which two pieces of information are required when using Citrix Studio to connect a Delivery Controller to a hosting infrastructure? (Choose two.)

- A. Hypervisor address
- B. Hypervisor credentials
- C. Hypervisor management VLAN
- D. Hypervisor high-availability server address

Answer: C, D

4. When deploying Provisioning Services without PXE services, which two DHCP scope options must a Citrix Engineer configure? (Choose two.)

- A. 67: Bootfile Name
- B. 44: Name Servers

- C. 61: Client Identifier
- D. 13: Host Name String
- E. 66: Boot Server Host Name

Answer: C, D

5. Scenario: A Business Unit Manager requests Remote PC Access for a team of offshore developers. The Business Manager's request indicates the need for a silent deployment with Citrix Receiver embedded and shadowing enabled. Desktop OS machines should NOT be restarted during the installation as a restart will be scheduled when convenient. The Virtual Delivery Agent (VDA) must register initially with the Delivery Controller on the server named 'Contr01' in the domain 'mydomain,' and audio packets will flow over UDP. HDX ports should be opened if the Windows Firewall service is detected. Which command must a Citrix Engineer execute to install the VDA to meet the requirements stated in the scenario?

- A. `XenDesktopVdaSetup.exe /quiet /components vda,plugins /controllers "Contr01.mydomain.local" /noreboot /enable_remote_assistance`
- B. `XenDesktopVdaSetup.exe /quiet /components vda /controllers "Contr01.mydomain.local" /enable_hdx_ports /enable_real_time_transport /noreboot`
- C. `XenDesktopVdaSetup.exe /quiet /components vda /controllers "Contr01.mydomain.local" /enable_hdx_ports /enable_real_time_transport /noreboot /enable_remote_management`
- D. `XenDesktopVdaSetup.exe /quiet /components vda,plugins /controllers "Contr01.mydomain.local" /enable_hdx_ports /enable_real_time_transport /noreboot /enable_remote_assistance`

Answer: D

6. Scenario: A Citrix Engineer implemented applications and desktops based on department (Accounts, Sales and Management) and operating systems (Windows 7 and Windows 8). The engineer created five scopes, one for each department and one for each operating system. The engineer gave an administrator the Help Desk Administrator role for the Accounts scope and the Machine Catalog Administrator role for the Windows 7 scope. As a result, the administrator will be able to and . (Choose the two correct phrases to complete the sentence.)

- A. create new Windows 7 machines in any department scope
- B. create new Windows 8 machines as long as they are in Accounts scope
- C. perform session management of Windows 8 machines in Accounts scope
- D. perform session management of Windows 7 machines only in Accounts scope

Answer: A, C

7. A Citrix Engineer must change the write cache method from 'Cache on device hard drive' to 'Cache in device RAM with overflow on hard disk'. To assist in determining the appropriate amount of RAM cache

required, what would the engineer need to check to determine the current write cache size?

- A. The size of the local pagefile
- B. The size of the writecache file in the vDisk store
- C. The size of the .vdiskcache file on the device hard disk
- D. The size of the RAM and Pagefile combined in Task Manager

Answer: C

8. Scenario: A Citrix Engineer needs to create a device collection of new vGPU-enabled virtual desktops in Provisioning Services. The collection needs to be made available as part of an existing machine catalog in Citrix Studio. Which wizard should the engineer run to accomplish this task?

- A. Import Device Wizard
- B. XenDesktop Setup Wizard
- C. Create Machine Catalog Wizard
- D. Provisioning Services Configuration Wizard

Answer: B

9. Which switch is required to install Citrix Receiver with pass-through authentication?

- A. includeSSON
- B. enable_SSON
- C. enable_Kerberos
- D. ALLOWSAFEPWD=S

Answer: A

10. Which statement accurately describes the purpose of StoreFront beacons?

- A. Determine which servers are up in a highly available StoreFront server group.
- B. Sent to XenApp and XenDesktop Delivery Controllers to determine which resources a user has access to.
- C. Allow StoreFront to automatically update receiver clients when a beacon from an old receiver client is received.
- D. Determine whether a user is connected to a local network or connecting from the Internet so that the appropriate connection details can be passed to Citrix Receiver.

Answer: D

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Y0-301 Exam with Our Prep Materials Via below:

<http://www.certleader.com/1Y0-301-dumps.html>