

1Z0-052 - Oracle Database 11g: Administration I

<http://www.certleader.com/1Z0-052-dumps.html>



1. You notice that the performance of the database has degraded because of frequent checkpoints.

Which two actions resolve the issue? (Choose two.)

- A. Disable automatic checkpoint tuning
- B. Check the size of the redo log file size and increase the size if it is small
- C. Set the FAST_START_MTTR_TARGET parameter as per the advice given by the MTTR Advisor
- D. Decrease the number of redo log members if there are more than one redo log members available in each redo log group

Advisor

D. Decrease the number of redo log members if there are more than one redo log members available in each redo log group

Answer: BC

2. Identify the memory component from which memory may be allocated for:

Session memory for the shared server
Buffers for I/O slaves
Oracle Database Recovery Manager (RMAN) backup and restore operations

- A. Large Pool
- B. Redo Log Buffer
- C. Database Buffer Cache
- D. Program Global Area (PGA)

Answer: A

3. You executed the following command to create a tablespace called SALES_DATA:

```
SQL> CREATE TABLESPACE sales_data
```

```
DATAFILE SIZE 100M
```

```
SEGMENT SPACE MANAGEMENT AUTO;
```

Which two statements are true about the SALES_DATA tablespace? (Choose two)

- A. The database automatically determines the extent-sizing policy for the tablespace.
- B. The segments are automatically shrunk when the contents are removed from them.
- C. The allocation of extents within the tablespace is managed through the dictionary tables.

- D. The space utilization description of the data blocks in segments is recorded in bitmap blocks.
- E. The space utilization description of the data blocks in segments is managed through free lists.

Answer: AD

4. In which of the scenario will the DBA perform recovery? (Choose all that apply.)

- A. The alert log file is corrupted
- B. A tablespace is accidentally dropped
- C. One of the redo log members is corrupted
- D. A database user terminates the session abnormally
- E. The hard disk on which the data files is stored is corrupted

Answer: BE

5. You want to enable archiving on your database. Presently, the database is running in NOARCHIVELOG mode.

Given below are the steps to accomplish the task in random order:

1. Shut down the instance.
2. Execute the ALTER DATABASE ARCHIVELOG command.
3. Start up the instance and mount the database.
4. Set the DB_RECOVERY_FILE_DEST initialization parameter to \$ORACLE_HOME/dest_1.
5. Open the database.

Which is the correct sequence of steps for accomplishing the task?

- A. 4, 1, 3, 2, 5
- B. 1, 3, 4, 5, 2
- C. 1, 3, 2, 5; 4 not required
- D. 4, 1, 5, 2; 3 not required
- E. 1, 3, 4, 5; 2 not required

Answer: C

6. You want to check the details of few errors that users have reported. You search for the alert log file and execute few commands to find the location of the alert log file.

View the Exhibit and check the commands executed.

What is the location of the alert_orcl.log file?

- A. ORACLE_HOME/dbs
- B. ORACLE_HOME/rdbms
- C. /u01/app/oracle/admin/orcl/adump
- D. /u01/app/oracle/flash_recovery_area
- E. ORACLE_BASE/diag/rdbms/orcl/alert
- F. ORACLE_BASE/diag/rdbms/orcl/orcl/trace

Answer: F

7. See the Exhibit:

Which statements are true regarding the USERS tablespace? (Choose all that apply.)

- A. A bitmap is used to record free extents
- B. Free extents information is managed within the tablespace
- C. Free extents information is managed in the SYSAUX tablespace
- D. The data dictionary tables are updated when extents are allocated or deallocated

Answer: AB

8. Examine the values for the following initialization parameters:

FAST_START_MTTR_TARGET=0

LOG_CHECKPOINT_INTERVAL=0

Which two will be the implications of these values in your database? (Choose two.)

- A. The SGA advisor will be disabled
- B. The MTTR advisor will be disabled
- C. Automatic checkpoint tuning will be disabled
- D. Checkpoint information will not be written to the alert log file

Answer: BC

9. In your database instance, the STATISTICS_LEVEL initialization parameter is set to BASIC.

What is the impact of this setting?

- A. Optimizer statistics are collected automatically.
- B. Only timed operating system (OS) statistics and plan execution statistics are collected.
- C. The snapshots for the Automatic Workload Repository (AWR) are not generated automatically.
- D. Snapshots cannot be collected manually by using the DBMS_WORKLOAD_REPOSITORY package.
- E. The Oracle server dynamically generates the necessary statistics on tables as part of query optimization.

Answer: C

10. You have recently collected statistics on certain objects of a schema in your database. But you observe suboptimal execution plans for the queries on these objects after two days of statistics collection. The optimizer statistics retention period is set to its default value.

Which action would help to use the previous set of statistics on the objects?

- A. Restore statistics from statistics history.
- B. Reduce the optimizer statistics retention period by 2 days.
- C. Set the OPTIMIZER_PENDING_STATISTICS parameter to TRUE.
- D. Reduce the Automatic Workload Repository (AWR) retention period by 2 days.

Answer: A

11. Which three statements regarding the server parameter file (SPFILE) are true? (Choose three.)

- A. An SPFILE is a binary file

- B. An SPFILE cannot reside on a client
- C. An SPFILE cannot contain static parameters
- D. An SPFILE can store changes persistently across instance restarts
- E. An SPFILE can be read by the database server, but it is not written to by the server
- F. An SPFILE must be created manually, before creating a database, even if you use the Database Configuration Assistant (DBCA) to create the database

Answer: ABD

12. Your test database is configured to run in NOARCHIVELOG mode. One of the data files in the USERS tablespace is lost due to a media failure. You notice that all the online redo logs have been overwritten since the last backup.

What would you do to recover the data file?

- A. Take the USERS tablespace offline and re-create the lost data file
- B. Shutdown the instance, restore the data file from the last consistent backup and restart the database instance
- C. Shutdown the instance, restores all the database files from the last consistent backup and restart the database instance
- D. Take the USERS tablespace offline, restore all the data files of the USERS tablespace from the last consistent backup and make the tablespace online

Answer: C

13. Examine the command:

```
SQL>DBMS_STATS.SET_TABLE_PREFS('\SH',\CUSTOMERS',\PUBLISH',\false');
```

Which statement describes the effect of the above command?

- A. Automatic statistics collection is stopped for the CUSTOMERS table
- B. Statistics for the CUSTOMERS table are locked and cannot be overwritten
- C. Existing statistics for the CUSTOMERS table become unusable for the query optimizer
- D. Subsequently, statistics gathered on the CUSTOMERS table are stored as pending statistics

Answer: D

14. The instance abnormally terminates because of a power outage.

Which statement is true about redo log files during instance recovery?

- A. Inactive and current redo log files are required to accomplish recovery
- B. Online and archived redo files are required to accomplish instance recovery
- C. All redo log entries after the last checkpoint are applied from redo log files to data files
- D. All redo log entries recorded in the current log file until the checkpoint position are applied to data files

Answer: C

15. Examine the command:

```
SQL>ALTER USER skd ACCOUNT LOCK;
```

Which two statements are true after the command is executed? (Choose two.)

- A. The SKD user cannot log in to the database instance
- B. The objects owned by the SKD user are not accessible to any user
- C. The other users can access the objects owned by the SKD user, on which they have access
- D. The password for the SKD user expires and the user is forced to change the password at the next log in

Answer: AC

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Z0-052 Exam with Our Prep Materials Via below:

<http://www.certleader.com/1Z0-052-dumps.html>