

1Z0-068 - Oracle Database 12c: RAC and Grid Infrastructure Administration

<http://www.certleader.com/1Z0-068-dumps.html>



1. Which three statements are true concerning node evictions and reboots performed by Oracle Clusterware 12c?

- A. All node evictions require that the evicted node or nodes be rebooted.
- B. A node whose performance is severely degraded can be evicted.
- C. The OCSSD process may evict a node after an escalation request from a database instance LMONprocess.
- D. The CSSDMONITOR process can request a node eviction.
- E. The OCLSKD process is used for node eviction requests originating on the node to be evicted.
- F. The reboot advisory broadcasts reboot decisions only over the interconnect.

Answer: B,D,E

Explanation: Section: (none)

Explanation

2. Which three statements are true about Oracle Clusterware 12c Flex Cluster architecture?

- A. Each leaf node must be connected to storage shared across all cluster nodes.
- B. Hub nodes require direct access to the voting disks.
- C. Each leaf node must be connected to storage shared across all leaf nodes.
- D. Each hub node must be connected to storage shared across all hub nodes.
- E. Hub nodes require direct access to the OCR file.
- F. Leaf nodes require direct access to the voting disks.

Answer: B,C,F

3. Which three statements are true about Global Resource Management in an Oracle 12c RAC database?

- A. Lazy remastering occurs when an instance shuts with SHUTDOWN IMMEDIATE.
- B. Object remastering causes all blocks in any instances' buffer cache from the same object to be mastered in the Global Resource Directory (GRD).
- C. When a database instance fails, then some global resource masters lost from the failing instance are remastered among the surviving instances.
- D. Lazy remastering instances occurs when an instance shuts with SHUTDOWN TRANSACTIONAL.

E. Global Enqueue resources are recovered after Global Cache Resources after an instance failure.

Answer: A,C,D

4. Which two actions are performed by installing the Oracle 12c Preinstall RPM on Oracle Linux?

- A. It creates the grid user if not already defined.
- B. It modifies the /etc/sysctl.conf Linux file.
- C. It installs kernel modules required for the ASM Cluster File System (ACFS).
- D. It installs the OpenSSH client package.
- E. It creates the oinstall group if not already defined.

Answer: C,D

5. Which two statements are true concerning buffer states as shown in GV\$BH.STATUS in Oracle 12c RAC?

- A. An XCUR block image may exist for a specific database block in only one instance.
- B. A CR image may get served from one instance to another to satisfy a read request.
- C. An XCUR image is not downgraded to a SCUR image for shipping to another instance until commits occur for updated rows on the block.
- D. A PI block image may exist for a specific database block in only one instance.

Answer: A,D

6. Which three statements are true about node listeners in a Grid Infrastructure Cluster using Flex ASM?

- A. They run from the Grid Infrastructure home by default.
- B. They listen only for database instances on the same node.
- C. They listen only for the ASM instance on the same node.
- D. There only can be one node listener per node.
- E. They listen on behalf on any ASM instance and all database instances on the same node.

Answer: B,C,E

7. Which two Operating System users and groups must be created on each node before installing Oracle Grid Infrastructure 12c?

- A. an O/S user to own the Clusterware installation and a different O/S user to own the Automatic Storage Management (ASM) installation
- B. an O/S group to own the software inventory
- C. an O/S user to own the Oracle Database installation
- D. an O/S group called dba
- E. a group to own the ASMLIB-provisioned storage
- F. a group to own Automatic-Storage Management (ASM) Filter Driver-provisioned storage

Answer: C,D

8. Which three statements are true about ASM Cloud File System (ACFS) auditing?

- A. Audit information gathered by each cluster node can be consolidated into the unified ACFS audit trail.
- B. acfsutil audit archive must be used to archive audit files that are larger than 10MB.
- C. acfsutil audit init must be run by a system administrator.
- D. acfsutil audit purge can be run by an audit manager.
- E. acfsutil audit read marks audit files to indicate that it is safe to purge them.

Answer: B,C,D

9. Which four tasks are performed by DBCA when you convert a single-instance database to a four-instance RAC database?

- A. creating additional redo threads
- B. creating additional undo tablespaces
- C. creating shared ASM disk groups
- D. adding cluster resources
- E. creating database services
- F. adding additional initialization parameters

Answer: A,B,C,F

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 1Z0-068 Exam with Our Prep Materials Via below:

<http://www.certleader.com/1Z0-068-dumps.html>