

# 600-211 - SPCDMA Implementing Cisco Service Provider Mobility CDMA Networks (SPCDMA)

<http://www.certleader.com/600-211-dumps.html>



1. Which interface carries signaling information between PCF and PDSN?

- A. A8
- B. A9
- C. A10
- D. A11

**Answer: D**

2. Which underlying protocol is used for RADIUS messages in CDMA?

- A. TCP
- B. SCTP
- C. UDP
- D. ICMP

**Answer: C**

3. Which protocol is used during PPP negotiation to assign an IP address to the mobile device for a simple IP call?

- A. LCP
- B. IPCP
- C. CHAP
- D. EAP

**Answer: B**

4. Which is an attribute in MIP RRQ?

- A. Correlation ID
- B. NAS-Identifier
- C. Framed-IP-Address

D. Care-of-Address

E. Framed-Interface-ID

**Answer: D**

5. Which bit in HA Registration Revocation message is used by PDSN/FA to determine Mobile notification?

A. 'A' bit

B. 'I' bit

C. 'M' bit

D. 'R' bit

**Answer: B**

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your 600-211 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/600-211-dumps.html>