


70-980 - Recertification for MCSE: Server Infrastructure

<http://www.certleader.com/70-980-dumps.html>



1. You need to recommend which type of clustered file server and which type of file share must be used in the Hyper-V cluster that hosts App2. The solution must meet the technical requirements and the security requirements.

Solution: You recommend a scale-out file server that uses an NFS share.

Does this meet the goal?

- A. Yes
- B. No

Answer: B

2. You need to recommend which type of clustered file server and which type of file share must be used in the Hyper-V cluster that hosts App2. The solution must meet the technical requirements and the security requirements.

Solution: You recommend a scale-out file server that uses an SMB share.

Does this meet the goal?

- A. Yes
- B. No

Answer: A

3. You need to recommend a solution that meets the notification requirements.

Which System Center 2012 components should you include in the recommendation?

- A. Service Manager, Orchestrator and App Controller
- B. Configuration Manager, Service Manager and Orchestrator
- C. App Controller, Configuration Manager and Operations Manager
- D. Operations Manager, Service Manager and Orchestrator

Answer: D

4. You are evaluating the deployment of a multi-site Hyper-V failover cluster in the Miami office and the Seattle office to host App2.

You need to identify which changes must be made to support the use of the multi-site cluster.

Which changes should you identify?

- A. Configure all of the virtual machines to use dynamic memory. Implement Distributed File System (DFS) Replication and store the virtual machine files in a replicated folder.
- B. Implement Distributed File System (DFS) Replication and store the virtual machine files in a replicated folder. Upgrade the WAN link between the Miami and Seattle offices.
- C. Purchase a storage solution that replicates the virtual machines. Configure all of the virtual machines to use dynamic memory.
- D. Upgrade the WAN link between the Miami and Seattle offices. Purchase a storage solution that replicates the virtual machines.

Answer: C

5. You need to recommend which Certificate Services role service must be deployed to the perimeter network. The solution must meet the security requirements.

Which Certificate Services role services should you recommend?

- A. Online Responder and Network Device Enrollment Service
- B. Online Responder and Certificate Enrollment Web Service
- C. Certificate Enrollment Web Service and Certificate Enrollment Policy Web Service
- D. Certificate Enrollment Policy Web Service and Certification Authority Web Enrollment

Answer: C

6. You need to recommend a solution that meets the security requirements for Group1.

To which System Center 2012 Virtual Machine Manager (VMM) group should you assign Group1?

- A. Delegated Administrator
- B. Administrators
- C. Self-Service User
- D. Read-Only Administrator

Answer: C

7. You need to recommend a storage solution for the App1 VHDs. The solution must minimize downtime if a Hyper-V host fails.

What should you include in the recommendation?

- A. Distributed File System (DFS) Replication
- B. A clustered file server of the File Server for scale-out application data type
- C. A clustered file server of the File Server for general use type
- D. A Distributed File System (DFS) namespace

Answer: B

8. Your company has a main office. The main office is located in a building that has 10 floors.

A datacenter on the ground floor contains a Windows Server 2012 failover cluster. The failover cluster contains a DHCP server resource named DHCP1. All client computers receive their IP addresses from DHCP1. All client computers are part of the 131.107.0.0/16 IPv4 subnet.

You plan to implement changes to the network subnets to include a separate subnet for each floor of the office building. The subnets will connect by using routers.

You need to recommend changes to the DHCP infrastructure to ensure that all of the client computers can receive their IP configuration by using DHCP.

What should you recommend?

More than one answer choice may achieve the goal. Select the BEST answer.

- A. Install a remote access server on each floor. Configure a DHCP relay agent on each new DHCP server. Create a scope for each subnet on DHCP1.
- B. Install a DHCP server on each floor. Create a scope for the local subnet on each new DHCP server. Enable DHCP Failover on each new DHCP server.
- C. Configure each router to forward requests for IP addresses to DHCP1. Create a scope for each subnet on DHCP1.
- D. Configure each router to forward requests for IP addresses to DHCP1. Create a scope for the 10.0.0.0/16 subnet on DHCP1.

Answer: C

Explanation:

<http://technet.microsoft.com/en-us/library/cc771390.aspx> Excerpt: In TCP/IP networking, routers are used to interconnect hardware and software used on different physical network segments called subnets and forward IP packets between each of the subnets. To support and use DHCP service across multiple subnets, routers connecting each subnet should comply with DHCP/ BOOTP relay agent capabilities described in RFC 1542.

9. Your network contains an Active Directory forest named contoso.com. The forest functional level is Windows Server 2012.

The forest contains an Active Directory domain. The domain contains a global security group named GPO_Admins that is responsible for managing Group Policies in the forest.

A second forest named fabrikam.com contains three domains. The forest functional level is Windows Server 2003.

You need to design a trust infrastructure to ensure that the GPO_Admins group can create, edit, and link Group Policies in every domain of the fabrikam.com forest.

What should you include in the design?

More than one answer choice may achieve the goal. Select the BEST answer.

- A. A two-way forest trust
- B. A one-way forest trust
- C. Three external trusts
- D. Three shortcut trusts

Answer: B

10. Your company is a hosting provider that provides cloud-based services to multiple customers.

Each customer has its own Active Directory forest located in your company's datacenter.

You plan to provide VPN access to each customer. The VPN solution will use RADIUS for authentication services and accounting services.

You need to recommend a solution to forward authentication and accounting messages from the perimeter network to the Active Directory forest of each customer.

What should you recommend?

More than one answer choice may achieve the goal. Select the BEST answer.

- A. One RADIUS proxy for each customer and Active Directory Federation Services (AD FS)
- B. A RADIUS server for each customer and one RADIUS proxy
- C. One RADIUS proxy and one Active Directory Lightweight Directory Services (AD LDS) instance for each customer
- D. A RADIUS server for each customer and a RADIUS proxy for each customer

Answer: B

11. Your network contains an Active Directory forest named adatum.com. All domain controllers run Windows Server 2008 R2. The functional level of the domain and the forest is Windows Server 2008.

You deploy a new Active Directory forest named contoso.com. All domain controllers run Windows Server 2012 R2. The functional level of the domain and the forest is Windows Server 2012 R2.

You establish a two-way, forest trust between the forests. Both networks contain member servers that run either Windows Server 2012 R2, Windows Server 2012, Windows Server 2008 R2 or Windows Server 2008.

You plan to use the Active Directory Migration Tool 3.2 (ADMT 3.2) to migrate user accounts from adatum.com to contoso.com. SID history will be used in contoso.com and passwords will be migrated by using a Password Export Server (PES).

You need to recommend which changes must be implemented to support the planned migration.

Which two changes should you recommend? Each correct answer presents part of the solution.

- A. In the contoso.com forest, deploy a domain controller that runs Windows Server 2008 R2.
- B. In the adatum.com forest, upgrade the functional level of the forest and the domain.
- C. In the contoso.com forest, downgrade the functional level of the forest and the domain.
- D. In the adatum.com forest, deploy a domain controller that runs Windows Server 2012 R2.

Answer: A,C

12. Your network contains an Active Directory forest named contoso.com. The forest contains a single domain and two sites named Montreal and Vancouver.

Montreal contains an IP Address Management (IPAM) server named Server1 that is used to manage all of the DHCP servers and the DNS servers in the site.

Vancouver contains several DHCP servers and several DNS servers.

In Vancouver, you install the IP Address Management (IPAM) Server feature on a server named Server2.

You need to recommend which configurations must be performed to ensure that the DHCP servers and the DNS servers in Vancouver are managed by Server2. What should you recommend?

- A. Replicate the IPAM database from Server1 to Server2. On Server2, change the manageability status of the DNS servers and the DHCP servers in Vancouver.
- B. Replicate the IPAM database from Server1 to Server2. On Server1, change the manageability status of the DNS servers and the DHCP servers in Vancouver.
- C. From Server2, run the `Invoke-IpamGpoProvisioningcmdlet`. On Server2, change the manageability status of

the DNS servers and the DHCP servers in Vancouver.

D. From Server1, run the `Invoke-IpamGpoProvisioningcmdlet`. On Server1, change the manageability status of the DNS servers and the DHCP servers in Vancouver.

Answer: C

13. Your network contains an Active Directory domain named `contoso.com`.

You deploy several servers that have the Remote Desktop Session Host role service installed.

You have two organizational units (OUs). The OUs are configured as shown in the following table.

OU name	Group Policy link	Contents
OU1	GPO1	Sales department user accounts
OU2	GPO2	Computer accounts of the Remote Desktop Session Host (RD Session Host) server

GPO1 contains the Folder Redirection settings for all of the users.

You need to recommend a solution to prevent the sales users' folders from being redirected when the users log on to a Remote Desktop session.


What should you include in the recommendation?

- A. From GPO2, set the loopback processing mode.
- B. From GPO1, set the loopback processing mode.
- C. Configure security filtering for GPO1.
- D. Apply a WMI filter to GPO2.

Answer: A Explanation:

<http://support.microsoft.com/kb/231287>

14. Your network contains an Active Directory domain named `contoso.com`. The Active Directory site topology is configured as shown in the exhibit. (Click the Exhibit button.)



DC1 and DC2 run Windows Server 2003 R2. All FSMO roles are located on DC2.

You plan to deploy a read-only domain controller (RODC) to Site3.

You need to recommend changes to the network to support the planned RODC implementation.

What should you recommend?

More than one answer choice may achieve the goal. Select the BEST answer.

- A. To Site1, add an RODC that runs Windows Server 2012.
- B. Replace DC2 with a domain controller that runs Windows Server 2012.
- C. To Site2, add an RODC that runs Windows Server 2012.
- D. Replace DC1 with a domain controller that runs Windows Server 2012.

Answer: D

Explanation: <http://technet.microsoft.com/en-us/library/cc772065%28v=ws.10%29.aspx> Each RODC requires a writable domain controller running Windows Server 2008 for the same domain from which the RODC can directly replicate. Typically, this requires that a writable domain controller running Windows Server 2008 be placed in the nearest site in the topology.

15. DRAG DROP

Your network contains an Active Directory domain named contoso.com. The domain contains two domain controllers named DC1 and DC2 that run Windows Server 2008 R2.

You plan to replace the domain controllers with new servers that run Windows Server 2012. The new servers will be named DC3 and DC4.

You need to recommend a strategy to replace DC1 and DC2 with DC3 and DC4. The solution must minimize the amount of disruption to the users.

Which three actions should you recommend?

To answer, move the appropriate three actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer Area
Run dcpromo.exe on DC1 and DC2.	
Transfer the operations master roles and create a new global catalog server.	
Run the Active Directory Domain Services Configuration Wizard on DC3 and DC4.	
Install the Active Directory Domain Services server role on DC3 and DC4.	
Run ntdsutil.exe and specify the <i>metadata cleanup</i> parameter.	

Answer:

Actions	Answer Area
Run dcpromo.exe on DC1 and DC2.	Install the Active Directory Domain Services server role on DC3 and DC4.
Transfer the operations master roles and create a new global catalog server.	Run the Active Directory Domain Services Configuration Wizard on DC3 and DC4.
Run the Active Directory Domain Services Configuration Wizard on DC3 and DC4.	Run dcpromo.exe on DC1 and DC2.
Install the Active Directory Domain Services server role on DC3 and DC4.	
Run ntdsutil.exe and specify the <i>metadata cleanup</i> parameter.	

16. Your network contains 50 servers that run Windows Server 2003 and 50 servers that run Windows Server 2008.

You plan to implement Windows Server 2012 R2.

You need to create a report that includes the following information:

. The servers that run applications and services that can be moved to Windows

Server 2012 R2

. The servers that have hardware that can run Windows Server 2012 R2

. The servers that are suitable to be converted to virtual machines hosted on Hyper-

V hosts that run Windows Server 2012 R2

Solution: You install Windows Server 2012 R2 on a new server, and then you run Microsoft Deployment Toolkit (MDT) 2012.

Does this meet the goal?

A. Yes

B. No

Answer: B

17. Your network contains an Active Directory domain named contoso.com. The domain contains three VLANs. The VLANs are configured as shown in the following table.

VLAN ID	Contents	Routing enabled to
1	Client computers	VLAN 2
2	<ul style="list-style-type: none">• Application servers• Domain controllers• Network Policy Service (NPS) servers	VLAN 1 and the Internet
3	Windows Server Update Services (WSUS) server	Nowhere

All client computers run either Windows 7 or Windows 8.

The corporate security policy states that all of the client computers must have the latest security updates installed.

You need to implement a solution to ensure that only the client computers that have all of the required security updates installed can connect to VLAN 1. The solution must ensure that all other client computers connect to VLAN 3.

Solution: You implement the DHCP Network Access Protection (NAP) enforcement method.

Does this meet the goal?

A. Yes

B. No

Answer: A

18. DRAG DROP

Your network contains an Active Directory domain named contoso.com. The domain contains an IP Address Management (IPAM) server.

You plan to delegate the administration of IPAM as shown in the following table.

Department name	Requirement
Dept1	View IP address tracking information
Dept2	View IP address spaces
Dept3	Create an IP address block

You need to recommend which IPAM security group must be used for each department. The solution must minimize the number of permissions assigned to each group.

What should you recommend?

To answer, drag the appropriate group to the correct department in the answer area. Each group may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

The screenshot shows a drag-and-drop interface for IPAM delegation. On the left, under the heading "Groups", there are four yellow buttons representing security groups: "IPAM ASM Administrators", "IPAM IP Audit Administrators", "IPAM MSM Administrators", and "IPAM Users". On the right, under the heading "Answer Area", there are three rows corresponding to "Dept1", "Dept2", and "Dept3". Each row has a light blue box labeled "Group" where a group can be dragged.

Answer:

Groups	Answer Area
IPAM ASM Administrators	Dept1 IPAM IP Audit Administrators
IPAM IP Audit Administrators	Dept2 IPAM Users
IPAM MSM Administrators	Dept3 IPAM ASM Administrators
IPAM Users	

19. Your company has two main offices and 10 branch offices. Each office is configured as a separate Active Directory site.

The main offices sites are named Site1 and Site2. Each office connects to Site1 and Site2 by using a WAN link. Each site contains a domain controller that runs Windows Server 2008.

You are redesigning the Active Directory infrastructure.

You plan to implement domain controllers that run Windows Server 2012 and decommission all of the domain controllers that run Windows Server 2008.

You need to recommend a placement plan for the Windows Server 2012 domain controllers to meet the following requirements:

. Ensure that users can log on to the domain if a domain controller or a WAN link fails. . Minimize the number of domain controllers implemented.

What should you include in the recommendation? (Each correct answer presents part of the solution. Choose all that apply.)

- A. Read-only domain controllers (RODCs) in the branch office sites
- B. A writable domain controller in Site1
- C. A writable domain controller in Site2
- D. Writable domain controllers in the branch office sites

Answer: B,C,D

20. DRAG DROP

Your company plans to deploy a remote access solution to meet the following requirements:

. Ensure that client computers that are connected to the Internet can be managed remotely without requiring that the user log on.

- . Ensure that client computers that run Windows Vista or earlier can connect remotely.
- . Ensure that non-domain-joined computers can connect remotely by using TCP port 443.

You need to identify which remote access solutions meet the requirements.

Which solutions should you identify?

To answer, drag the appropriate solution to the correct requirement in the answer area. Each solution may be used once, more than once, or not at all. Additionally, you may need to drag the split bar between panes or scroll to view content.

Solutions	Answer Area
DirectAccess	Solution Ensure that client computers that are connected to the Internet can be managed remotely without requiring that the user log on.
L2TP VPN	Solution Ensure that client computers that run Windows Vista or earlier can connect remotely.
SSTP VPN	Solution Ensure that non-domain-joined computers can connect remotely by using TCP port 443.

Answer:

Solutions	Answer Area
DirectAccess	L2TP VPN Ensure that client computers that are connected to the Internet can be managed remotely without requiring that the user log on.
L2TP VPN	DirectAccess Ensure that client computers that run Windows Vista or earlier can connect remotely.
SSTP VPN	SSTP VPN Ensure that non-domain-joined computers can connect remotely by using TCP port 443.

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your 70-980 Exam with Our Prep Materials Via below:

<http://www.certleader.com/70-980-dumps.html>