


# CCA-500 - Cloudera Certified Administrator for Apache Hadoop (CCAHA)

<http://www.certleader.com/CCA-500-dumps.html>



Question No : 1

Your cluster's mapred-start.xml includes the following parameters

```
<name>mapreduce.map.memory.mb</name> <value>4096</value>  
<name>mapreduce.reduce.memory.mb</name> <value>8192</value>
```

And any cluster's yarn-site.xml includes the following parameters

```
<name>yarn.nodemanager.vmen-pmen-ration</name> <value>2.1</value>
```

What is the maximum amount of virtual memory allocated for each map task before YARN will kill its Container?

- A. 4 GB
- B. 17.2 GB
- C. 8.9 GB
- D. 8.2 GB
- E. 24.6 GB

**Answer: D**

Question No : 2

Assuming you're not running HDFS Federation, what is the maximum number of NameNode daemons you should run on your cluster in order to avoid a "split-brain" scenario with your NameNode when running HDFS High Availability (HA) using Quorum-based storage?

- A. Two active NameNodes and two Standby NameNodes
- B. One active NameNode and one Standby NameNode
- C. Two active NameNodes and one Standby NameNode
- D. Unlimited. HDFS High Availability (HA) is designed to overcome limitations on the number of NameNodes you can deploy

**Answer: B**

Question No : 3

Table schemas in Hive are:

- A. Stored as metadata on the NameNode

- B. Stored along with the data in HDFS
- C. Stored in the Metadata
- D. Stored in ZooKeeper

**Answer: B**

Question No : 4

For each YARN job, the Hadoop framework generates task log file. Where are Hadoop task log files stored?

- A. Cached by the NodeManager managing the job containers, then written to a log directory on the NameNode
- B. Cached in the YARN container running the task, then copied into HDFS on job completion
- C. In HDFS, in the directory of the user who generates the job
- D. On the local disk of the slave node running the task

**Answer: D**

Question No : 5

You have a cluster running with the fair Scheduler enabled. There are currently no jobs running on the cluster, and you submit a job A, so that only job A is running on the cluster. A while later, you submit Job B. now Job A and Job B are running on the cluster at the same time. How will the Fair Scheduler handle these two jobs?

- A. When Job B gets submitted, it will get assigned tasks, while job A continues to run with fewer tasks.
- B. When Job B gets submitted, Job A has to finish first, before job B can get scheduled.
- C. When Job A gets submitted, it doesn't consume all the task slots.
- D. When Job A gets submitted, it consumes all the task slots.

**Answer: B**

Question No : 6

Each node in your Hadoop cluster, running YARN, has 64GB memory and 24 cores. Your yarn.site.xml has the following configuration:

<property>

```
<name>yarn.nodemanager.resource.memory-mb</name>
```

```
<value>32768</value>
```

```
</property>
```

```
<property>
```

```
<name>yarn.nodemanager.resource.cpu-vcores</name>
```

```
<value>12</value>
```

```
</property>
```

You want YARN to launch no more than 16 containers per node. What should you do?

A. Modify yarn-site.xml with the following property: `<name>yarn.scheduler.minimum-allocation-mb</name>`  
`<value>2048</value>`

B. Modify yarn-sites.xml with the following property: `<name>yarn.scheduler.minimum-allocation-mb</name>`  
`<value>4096</value>`

C. Modify yarn-site.xml with the following property: `<name>yarn.nodemanager.resource.cpu-vcores</name>`

D. No action is needed: YARN's dynamic resource allocation automatically optimizes the node memory and cores

**Answer: C**

Question No : 7

You want to node to only swap Hadoop daemon data from RAM to disk when absolutely necessary. What should you do?

A. Delete the `/dev/vmswap` file on the node

B. Delete the `/etc/swap` file on the node

C. Set the `ram.swap` parameter to 0 in `core-site.xml`

D. Set `vm.swapfile` file on the node

E. Delete the `/swapfile` file on the node

**Answer: D**

Question No : 8

You are configuring your cluster to run HDFS and MapReducer v2 (MRv2) on YARN. Which two daemons needs to be installed on your cluster's master nodes?

- A. HMaster
- B. ResourceManager
- C. TaskManager
- D. JobTracker
- E. NameNode
- F. DataNode

**Answer:** D,E

Question No : 9

You observed that the number of spilled records from Map tasks far exceeds the number of map output records. Your child heap size is 1GB and your io.sort.mb value is set to 1000MB. How would you tune your io.sort.mb value to achieve maximum memory to disk I/O ratio?

- A. For a 1GB child heap size an io.sort.mb of 128 MB will always maximize memory to disk I/O
- B. Increase the io.sort.mb to 1GB
- C. Decrease the io.sort.mb value to 0
- D. Tune the io.sort.mb value until you observe that the number of spilled records equals (or is as close to equals) the number of map output records.

**Answer:** D

Question No : 10

You are running a Hadoop cluster with a NameNode on host mynamenode, a secondary NameNode on host mysecondarynamenode and several DataNodes.

Which best describes how you determine when the last checkpoint happened?

- A. Execute `hdfs namenode -report` on the command line and look at the Last Checkpoint information
- B. Execute `hdfs dfsadmin -saveNamespace` on the command line which returns to you the last checkpoint value in `fstime` file
- C. Connect to the web UI of the Secondary NameNode (`http://mysecondary:50090/`) and look at the "Last Checkpoint" information

D. Connect to the web UI of the NameNode (<http://mynamenode:50070>) and look at the “Last Checkpoint” information

**Answer: C**

Reference: <https://www.inkling.com/read/hadoop-definitive-guide-tom-white-3rd/chapter-10/hdfs>

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CCA-500 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/CCA-500-dumps.html>