

# CCB-400 - Cloudera Certified Specialist in Apache HBase

<http://www.certleader.com/CCB-400-dumps.html>



1. You have one primary HMaster and one standby. Your primary HMaster fails and your client application needs to make a metadata change.

Which of the following is the effect on your client application?

- A. The client will query ZooKeeper to find the location of the new HMaster and complete the metadata change.
- B. The client will make the metadata change regardless of the state of the HMaster.
- C. The new HMaster will notify the client and complete the metadata change.
- D. The client application will fail with a runtime error.

**Answer: A**

2. You have an average key-value pair size of 100 bytes.

Your primary access is random reads on the table.

Which of the following actions will speed up random reading performance on your cluster?

- A. Turn off WAL on puts
- B. Increase the number of versions kept
- C. Decrease the block size
- D. Increase the block size

**Answer: D**

3. The cells in a given row have versions that range from 1000 to 2000. You execute a delete specifying the value 3000 for the version.

What is the outcome?

- A. The delete fails with an error.
- B. Only cells equal to the specified version are deleted.
- C. The entire row is deleted.
- D. Nothing in the row is deleted.

**Answer: C**

4. You have an "Employees" table in HBase. The Row Keys are the employees' IDs. You would like to retrieve all employees who have an employee ID between 'user\_100' and 'user\_110'.

The shell command you would use to complete this is:

- A. `scan\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_111\ '}`
- B. `get\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_110\ '}`
- C. `scan\ 'Employees\ ', {STARTROW =>'user_100', SLIMIT => 10}`
- D. `scan\ 'Employees\ ', {STARTROW =>'user_100', STOPROW =>'user_110\ '}`

**Answer: D**

5. Under default settings, which feature of HBase ensures that data won't be lost in the event of a Region Server failure?

- A. All HBase activity is written to the WAL, which is stored in HDFS
- B. All operations are logged on the HMaster.
- C. HBase is ACID compliant, which guarantees that it is Durable.
- D. Data is stored on the local filesystem of the RegionServer.

**Answer: A**

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your CCB-400 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/CCB-400-dumps.html>