

# ec0-350 - ECCouncil Certified Ethical Hacker v8

<http://www.certleader.com/ec0-350-dumps.html>



1. Samuel is the network administrator of DataX Communications, Inc. He is trying to configure his firewall to block password brute force attempts on his network. He enables blocking the intruder's IP address for a period of 24 hours time after more than three unsuccessful attempts. He is confident that this rule will secure his network from hackers on the Internet. But he still receives hundreds of thousands brute-force attempts generated from various IP addresses around the world. After some investigation he realizes that the intruders are using a proxy somewhere else on the Internet which has been scripted to enable the random usage of various proxies on each request so as not to get caught by the firewall rule. Later he adds another rule to his firewall and enables small sleep on the password attempt so that if the password is incorrect, it would take 45 seconds to return to the user to begin another attempt. Since an intruder may use multiple machines to brute force the password, he also throttles the number of connections that will be prepared to accept from a particular IP address. This action will slow the intruder's attempts. Samuel wants to completely block hackers brute force attempts on his network. What are the alternatives to defending against possible brute-force password attacks on his site?

- A. Enforce a password policy and use account lockouts after three wrong logon attempts even though this might lock out legit users
- B. Enable the IDS to monitor the intrusion attempts and alert you by e-mail about the IP address of the intruder so that you can block them at the Firewall manually
- C. Enforce complex password policy on your network so that passwords are more difficult to brute force
- D. You cannot completely block the intruders attempt if they constantly switch proxies

**Answer: D**

2. Which programming language is NOT vulnerable to buffer overflow attacks?

- A. Java
- B. ActiveX
- C. C++

D.Assembly Language

**Answer: A**

3.A client has approached you with a penetration test requirement. They are concerned with the possibility of external threat, and have invested considerable resources in protecting their Internet exposure. However, their main concern is the possibility of an employee elevating his/her privileges and gaining access to information outside of their department. What kind of penetration test would you recommend that would best address the client's concern?

A.A Grey Hat test

B.A Grey Box test

C.A Black Hat test

D.A White Hat test

E.A Black Box test

F.A White Box test

**Answer: B**

4.What type of port scan is shown below? Scan directed at open port: ClientServer

```
192.5.2.92:4079 -----FIN----->192.5.2.110:23 192.5.2.92:4079 <----NO
```

```
RESPONSE-----192.5.2.110:23 Scan directed at closed port: ClientServer 192.5.2.92:4079
```

```
-----FIN----->192.5.2.110:23 192.5.2.92:4079<-----RST/ACK-----192.5.2.110:23
```

A.Idle Scan

B.FIN Scan

C.XMAS Scan

D.Windows Scan

**Answer: B**

5. Which of the following built-in C/C++ functions you should avoid to prevent your program from buffer overflow attacks?

- A. strcpy()
- B. strcat()
- C. streadd()
- D. strsock()

**Answer:** A B C

6. Bob is acknowledged as a hacker of repute and is popular among visitors of 'underground' sites.

Bob is willing to share his knowledge to those who are willing to learn, and many have expressed their interest in learning from him. However, this knowledge has risks associated with it, as the same knowledge can be used for malevolent attacks as well. In this context, what would be the most effective method to bridge the knowledge gap between the "black" hats or crackers and the "white" hats or computer security professionals?

- A. Hire more computer security monitoring personnel to monitor computer systems and networks
- B. Educate everyone with books, articles and training on risk analysis, vulnerabilities and safeguards
- C. Train more national guard and reservist in the art of computer security to help out in times of emergency or crises
- D. Make obtaining either a computer security certification or accreditation easier to achieve so more individuals feel that they are a part of something larger than life

**Answer:** B

7. After a client sends a connection request (SYN) packet to the server, the server will respond (SYN-ACK) with a sequence number of its choosing, which then must be acknowledged (ACK) by the client. This sequence number is predictable; the attack connects to a service first with its own IP address, records the sequence number chosen, and then opens a second connection from a

forged IP address. The attack doesn't see the SYN-ACK (or any other packet) from the server, but can guess the correct responses. If the source IP address is used for authentication, then the attacker can use the one-sided communication to break into the server. What attacks can you successfully launch against a server using the above technique?

- A. Session Hijacking attacks
- B. Denial of Service attacks
- C. Web page defacement attacks
- D. IP spoofing attacks

**Answer: A**

8. Eric notices repeated probes to port 1080. He learns that the protocol being used is designed to allow a host outside of a firewall to connect transparently and securely through the firewall. He wonders if his firewall has been breached. What would be your inference?

- A. Eric's network has been penetrated by a firewall breach
- B. The attacker is using the ICMP protocol to have a covert channel
- C. Eric has a Wingate package providing FTP redirection on his network
- D. Somebody is using SOCKS on the network to communicate through the firewall

**Answer: D**

9. Mark works as a contractor for the Department of Defense and is in charge of network security. He has spent the last month securing access to his network from all possible entry points. He has segmented his network into several subnets and has installed firewalls all over the network. He has placed very stringent rules on all the firewalls, blocking everything in and out except ports that must be used. He does need to have port 80 open since his company hosts a website that must be accessed from the Internet. Mark is fairly confident of his perimeter defenses, but is still worried about programs like Hping2 that can get into a network through covert channels. How

should mark protect his network from an attacker using Hping2 to scan his internal network?

- A. Block ICMP type 13 messages
- B. Block all incoming traffic on port 53
- C. Block all outgoing traffic on port 53
- D. Use stateful inspection on the firewalls

**Answer: A**

10. Bill has started to notice some slowness on his network when trying to update his company's website and while trying to access the website from the Internet. Bill asks the help desk manager if he has received any calls about slowness from the end users, but the help desk manager says that he has not. Bill receives a number of calls from customers that cannot access the company website and cannot purchase anything online. Bill logs on to a couple of his routers and notices that the logs show network traffic is at an all time high. He also notices that almost all the traffic is originating from a specific address. Bill decides to use Geotrace to find out where the suspect IP originates from. The Geotrace utility runs a traceroute and finds that the IP is coming from Panama. Bill knows that none of his customers are in Panama so he immediately thinks that his company is under a Denial of Service attack. Now Bill needs to find out more about the originating IP address. What Internet registry should Bill look in to find the IP address?

- A. LACNIC
- B. ARIN
- C. RIPE LACNIC
- D. APNIC

**Answer: A**

11. Bill has successfully executed a buffer overflow against a Windows IIS web server. He has been able to spawn an interactive shell and plans to deface the main web page. He first attempts to use

the "Echo" command to simply overwrite index.html and remains unsuccessful. He then attempts to delete the page and achieves no progress. Finally, he tries to overwrite it with another page in which also he remains unsuccessful. What is the probable cause of Bill's problem?

- A.The system is a honeypot
- B.The HTML file has permissions of read only
- C.You cannot use a buffer overflow to deface a web page
- D.There is a problem with the shell and he needs to run the attack again

**Answer: B**

12.Clive is conducting a pen-test and has just port scanned a system on the network. He has identified the operating system as Linux and been able to elicit responses from ports 23, 25 and 53. He infers port 23 as running Telnet service, port 25 as running SMTP service and port 53 as running DNS service. The client confirms these findings and attests to the current availability of the services. When he tries to telnet to port 23 or 25, he gets a blank screen in response. On typing other commands, he sees only blank spaces or underscores symbols on the screen. What are you most likely to infer from this?

- A.The services are protected by TCP wrappers
- B.There is a honeypot running on the scanned machine
- C.An attacker has replaced the services with trojaned ones
- D.This indicates that the telnet and SMTP server have crashed

**Answer: A**

13.Maurine is working as a security consultant for Hinklemeir Associates.She has asked the Systems Administrator to create a group policy that would not allow null sessions on the network. The Systems Administrator is fresh out of college and has never heard of null sessions and does not know what they are used for. Maurine is trying to explain to the Systems Administrator that

hackers will try to create a null session when footprinting the network. Why would an attacker try to create a null session with a computer on a network?

- A.Enumerate users and shares
- B.Install a backdoor for later attacks
- C.Escalate his/her privileges on the target server
- D.To create a user with administrative privileges for later use

**Answer: A**

14.What file system vulnerability does the following command take advantage of? type

```
c:\anyfile.exe > c:\winnt\system32\calc.exe:anyfile.exe
```

- A.HFS
- B.ADS
- C.NTFS
- D.Backdoor access

**Answer: B**

15.What is the purpose of firewalking?

- A.It's a technique used to map routers on a network link
- B.It's a technique used to discover Wireless network on foot
- C.It's a technique used to discover interface in promiscuous mode
- D.It's a technique used to discover what rules are configured on a gateway

**Answer: D**

16.Travis works primarily from home as a medical transcriptionist. He just bought a brand new Dual Core Pentium computer with over 3 GB of RAM. He uses voice recognition software to help him transfer what he dictates to electronic documents. The voice recognition software is



processor intensive, which is why he bought the new computer. Travis frequently has to get on the Internet to do research on what he is working on. After about two months of working on his new computer, he notices that it is not running nearly as fast as it used to. Travis uses antivirus software, anti-spyware software, and always keeps the computer up-to-date with Microsoft patches. After another month of working on the computer, Travis' computer is even more noticeably slow. Every once in awhile, Travis also notices a window or two pop-up on his screen, but they quickly disappear. He has seen these windows show up, even when he has not been on the Internet. Travis is really worried about his computer because he spent a lot of money on it, and he depends on it to work. Travis scans his computer with all kinds of software, and cannot find anything out of the ordinary. Travis decides to go through Windows Explorer and check out the file system, folder by folder, to see if there is anything he can find. He spends over four hours pouring over the files and folders and cannot find anything. But, before he gives up, he notices that his computer only has about 10 GB of free space available. Since his hard drive is a 200 GB hard drive, Travis thinks this is very odd. Travis downloads Space Monger and adds up the sizes for all the folders and files on his computer. According to his calculations, he should have around 150 GB of free space. What is mostly likely the cause of Travis' problems?

- A. Travis's computer is infected with stealth kernel level rootkit
- B. Travis's computer is infected with Stealth Trojan Virus
- C. Travis's computer is infected with Self-Replication Worm that fills the hard disk space
- D. Logic Bomb is triggered at random times creating hidden data consuming junk files

**Answer: A**

17. Why is Social Engineering considered attractive by hackers and commonly done by experts in the field?

- A. It is not considered illegal
- B. It is done by well-known hackers

- C.It is easy and extremely effective to gain information
- D.It does not require a computer in order to commit a crime

**Answer: C**

18.Lori has just been tasked by her supervisor to conduct vulnerability scan on the corporate network.She has been instructed to perform a very thorough test of the network to ensure that there are no security holes on any of the machines.Lori's company does not own any commercial scanning products, so she decides to download a free one off the Internet.Lori has never done a vulnerability scan before, so she is unsure of some of the settings available in the software she downloaded.One of the options is to choose which ports that can be scanned.Lori wants to do exactly what her boss has told her, but she does not know what ports should be scanned. If Lori is supposed to scan all known TCP ports, how many ports should she select in the software?

- A.65536
- B.1024
- C.1025
- D.Lori should not scan TCP ports, only UDP ports

**Answer: A**

19.Samantha has been actively scanning the client network for which she is doing a vulnerability assessment test. While doing a port scan she notices ports open in the 135 to 139 range. What protocol is most likely to be listening on those ports?

- A.FTP
- B.SMB
- C.Finger
- D.Samba

**Answer: B**

20. A program that defends against a port scanner will attempt to:

A. Sends back bogus data to the port scanner

B. Log a violation and recommend use of security-auditing tools

C. Limit access by the scanning system to publicly available ports only

D. Update a firewall rule in real time to prevent the port scan from being completed

**Answer: D**

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your ec0-350 Exam with Our Prep Materials Via below:**

<http://www.certleader.com/ec0-350-dumps.html>