# JN0-1100 - Juniper Networks Certified Design Associate (JNCDA)

http://www.certleader.com/JN0-1100-dumps.html

1. Your company's network consists of your headquarters location plus several dozen remote offices. Remote office users are often unable to access data housed in the headquarters data centerdueto connectivity issues. You must update the network to provide reliable access to corporate assets for remote office users.

Which technology is critical to your design project?

A. IPsec

B. WAN acceleration

C. WAN aggregation

D. QoS

Answer: A

2. Your customer is a government organization with strict security requirements. They want to expand their Layer 2 infrastructure between multiple buildings within the same campus environment. They also want to ensure that no unauthorized devices are connected between the switches in the different buildings.

Which solution ensures data security in this environment?

A. Use PNAC on all inter-switch connections.

B. Use LLDP on all inter-switch connections.

C. Use LACP on all inter-switch connections.

D. Use MACsec on all inter-switch connections.

Answer: A

3. Virtual Chassis solutions for large campus networks are designed to eliminate the requirement for which protocol?

A. SNMP

B. IPv6

C. OSPF

D. STP

Answer: D

4. A hospital has issued an RFP for a full network refresh. The RFP focuses on the users, applications, and bandwidth.

Which two realistic assumptions would be inferred about this network? (Choose two.)

A. Regulatory requirements must be considered.

B. Network downtime will not be tolerated.

C. WiFi services must support video.

D. Quality of service (QoS) is not necessary.

Answer: A,B

5. In reviewing the customer's IT organization, you must determine the corporate model for IT funding.

Which two models would you encounter in this scenario? (Choose two.)

A. direct revenue model

B. cost center

C. profit center

D. investment center

Answer: B,C

6. Which two mechanisms allow administrators to authenticate on a Junos OS device? (Choose two.)

A. Active Directory

B. TACACS+

C. LDAP

D. RADIUS

Answer: B,D

7. What is the maximum length recommended for a single cat6E cable?

A. 328 feet (100 meters) B. 1000 feet (300 meters)

C. 3280 feet (1000 meters)

D. 100 feet (30 meters)

Answer: A

8. What are two features used to enable high availability? (Choose two.)

A. VRRP

B. chassis clustering

C. full duplex mode

D. SNMP

Answer: A,B

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JN0-1100 Exam with Our Prep Materials Via below:

http://www.certleader.com/JN0-1100-dumps.html