

JN0-332 - uniper Networks Certified Internet Specialist, SEC (JNCIS-SEC)

<http://www.certleader.com/JN0-332-dumps.html>



1. Which configuration keyword ensures that all in-progress sessions are re-evaluated upon committing a security policy change?

- A. policy-rematch
- B. policy-evaluate
- C. rematch-policy
- D. evaluate-policy

Answer: A

2. Click the Exhibit button.

You need to alter the security policy shown in the exhibit to send matching traffic to an IPsec VPN tunnel. Which command causes traffic to be sent through an IPsec VPN named remote-vpn?

A. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel remote-vpn

B. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then tunnel ipsec-vpn remote-vpn

C. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then permit ipsec-vpn remote-vpn

D. [edit security policies from-zone trust to-zone untrust]

user@host# set policy tunnel-traffic then permit tunnel ipsec-vpn remote-vpn

Answer: D

3. Which three security concerns can be addressed by a tunnel mode IPsec VPN secured by AH? (Choose three.)

- A. data integrity
- B. data confidentiality
- C. data authentication
- D. outer IP header confidentiality
- E. outer IP header authentication

Answer: ACE

4. You must configure a SCREEN option that would protect your router from a session table flood. Which configuration meets this requirement?

- A. [edit security screen]

```
user@host# show
```

```
ids-option protectFromFlood {
```

```
icmp {
```

```
ip-sweep threshold 5000;
```

```
flood threshold 2000;
```

```
}
```

```
}
```

- B. [edit security screen]

```
user@host# show
```

```
ids-option protectFromFlood {
```

```
tcp {
```

```
syn-flood {
```

```
attack-threshold 2000;
```

```
destination-threshold 2000;
```

```
}
```

```
}
```

```
}
```

C. [edit security screen]

```
user@host# show
```

```
ids-option protectFromFlood {
```

```
udp {
```

```
flood threshold 5000;
```

```
}
```

```
}
```

D. [edit security screen]

```
user@host# show
```

```
ids-option protectFromFlood {
```

```
limit-session {
```

```
source-ip-based 1200;
```

```
destination-ip-based 1200;
```

```
}
```

```
}
```

Answer: D

5. Which type of Web filtering by default builds a cache of server actions associated with each URL it has checked?

A. Websense Redirect Web filtering

B. integrated Web filtering

C. local Web filtering

D. enhanced Web filtering

Answer: B

6. Which security or functional zone name has special significance to the Junos OS?

- A. self
- B. trust
- C. untrust
- D. junos-global

Answer: D

7. Which command do you use to display the status of an antivirus database update?

- A. show security utm anti-virus status
- B. show security anti-virus database status
- C. show security utm anti-virus database
- D. show security utm anti-virus update

Answer: A

8. Which statement contains the correct parameters for a route-based IPsec VPN?

A. [edit security ipsec]

```
user@host# show
```

```
proposal ike1-proposal {
```

```
protocol esp;
```

```
authentication-algorithm hmac-md5-96;
```

```
encryption-algorithm 3des-cbc;
```

```
lifetime-seconds 3200;
```

```
}
```

```
policy ipsec1-policy {
```

```
perfect-forward-secrecy {  
keys group2;  
}  
proposals ike1-proposal;  
}  
vpn VpnTunnel {  
interface ge-0/0/1.0;  
ike {  
gateway ike1-gateway;  
ipsec-policy ipsec1-policy;  
}  
establish-tunnels immediately;  
}
```

B. [edit security ipsec]

```
user@host# show
```

```
proposal ike1-proposal {  
protocol esp;  
authentication-algorithm hmac-md5-96;
```

```
encryption-algorithm 3des-cbc;
```

```
lifetime-seconds 3200;
```

```
}
```

```
policy ipsec1-policy {
```

```
perfect-forward-secrecy {
```

```
keys group2;
```

```
}  
proposals ike1-proposal;  
}  
vpn VpnTunnel {  
interface st0.0;  
ike {  
gateway ike1-gateway;  
ipsec-policy ipsec1-policy;  
}  
establish-tunnels immediately;  
}
```

C. [edit security ipsec]

```
user@host# show  
proposal ike1-proposal {  
protocol esp;  
authentication-algorithm hmac-md5-96;  
encryption-algorithm 3des-cbc;  
lifetime-seconds 3200;  
}  
policy ipsec1-policy {  
perfect-forward-secrecy {  
keys group2;  
}  
proposals ike1-proposal;  
}
```

```
vpn VpnTunnel {  
  
bind-interface ge-0/0/1.0;  
  
ike {  
  
gateway ike1-gateway;  
  
ipsec-policy ipsec1-policy;  
  
}  
  
establish-tunnels immediately;  
  
}
```

D. [edit security ipsec]

```
user@host# show
```

```
proposal ike1-proposal {  
  
protocol esp;  
  
authentication-algorithm hmac-md5-96;  
  
encryption-algorithm 3des-cbc;  
  
lifetime-seconds 3200;  
  
}policy ipsec1-policy {  
  
perfect-forward-secrecy {  
  
keys group2;  
  
}  
  
proposals ike1-proposal;  
  
}  
  
vpn VpnTunnel {  
  
bind-interface st0.0;  
  
ike {
```



```
gateway ike1-gateway;  
  
ipsec-policy ipsec1-policy;  
  
}  
  
establish-tunnels immediately;  
  
}
```

Answer: D

9. Which zone is system-defined?

- A. security
- B. functional
- C. junos-global
- D. management

Answer: C

10. You want to allow your device to establish OSPF adjacencies with a neighboring device connected to interface ge-0/0/3.0. Interface ge-0/0/3.0 is a member of the HR zone. Under which configuration hierarchy must you permit OSPF traffic?

- A. [edit security policies from-zone HR to-zone HR]
- B. [edit security zones functional-zone management protocols]
- C. [edit security zones protocol-zone HR host-inbound-traffic]
- D. [edit security zones security-zone HR host-inbound-traffic protocols]

Answer: D

11. Which three statements are true regarding IDP? (Choose three.)

- A. IDP cannot be used in conjunction with other Junos security features such as SCREEN options, zones, and security policy.
- B. IDP inspects traffic up to the Application Layer.

- C. IDP searches the data stream for specific attack patterns.
- D. IDP inspects traffic up to the Presentation Layer.
- E. IDP can drop packets, close sessions, prevent future sessions, and log attacks for review by network administrators when an attack is detected.

Answer: BCE

12. Click the Exhibit button.

Your IKE SAs are up, but the IPsec SAs are not up. Referring to the exhibit, what is the problem?

- A. One or more of the phase 2 proposals such as authentication algorithm, encryption algorithm do not match.
- B. The tunnel interface is down.
- C. The proxy IDs do not match.
- D. The IKE proposals do not match the IPsec proposals.

Answer: C

13. Which two statements regarding symmetric key encryption are true? (Choose two.)

- A. The same key is used for encryption and decryption.
- B. It is commonly used to create digital certificate signatures.
- C. It uses two keys: one for encryption and a different key for decryption.
- D. An attacker can decrypt data if the attacker captures the key used for encryption.

Answer: AD

14. Regarding content filtering, what are two pattern lists that can be configured in the Junos OS? (Choose two.)

- A. protocol list
- B. MIME
- C. block list

D. extension

Answer: BD

15. Which two statements are true about hierarchical architecture? (Choose two.)

- A. You can assign a logical interface to multiple zones.
- B. You cannot assign a logical interface to multiple zones.
- C. You can assign a logical interface to multiple routing instances.
- D. You cannot assign a logical interface to multiple routing instances.

Answer: BD

Thank You for Trying Our Product

* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

* One year free update

You can enjoy free update one year. 24x7 online support.

* Trusted by Millions

We currently serve more than 30,000,000 customers.

* Shop Securely

All transactions are protected by VeriSign!

100% Pass Your JN0-332 Exam with Our Prep Materials Via below:

<http://www.certleader.com/JN0-332-dumps.html>