

# NSE7 - Fortinet Troubleshooting Professional

<https://www.certleader.com/NSE7-dumps.html>



1. An administrator has enabled HA session synchronization in a HA cluster with two members. Which flag is added to a primary unit's session to indicate that it has been synchronized to the secondary unit?

- A. `redir`
- B. `dirty`
- C. `synced`
- D. `nds`

**Answer: C**

2. When does a RADIUS server send an Access-Challenge packet?

- A. The server does not have the user credentials yet.
- B. The server requires more information from the user, such as the token code for two-factor authentication.
- C. The user credentials are wrong.
- D. The user account is not found in the server.

**Answer: B**

3. Examine the following partial outputs from two routing debug commands; then answer the question below.

```
# get router info routing-table database
```

```
s 0.0.0.0/0 [20/0] via 10.200.2.254, port2, [10/0] s * > 0.0.0.0/0 [10/0] via 10.200.1.254, port1
```

```
# get router info routing-table all
```

```
s* 0.0.0.0/0 [10/0] via 10.200.1.254, port1
```

Why the default route using port2 is not displayed in the output of the second command?

- A. it has a lower priority than the default route using port1.
- B. it has a higher priority than the default route using port1.
- C. it has a higher distance than the default route using port1.
- D. it is disabled in the FortiGate configuration.

**Answer: A**

4. An administrator has decreased all the TCP session timers to optimize the FortiGate memory usage. However, after the changes, one network application started to have problems. During the troubleshooting, the administrator noticed that the FortiGate deletes the sessions after the clients send the SYN packets and before the arrival of the SYN/ACKs. When the SYN/ACK packets arrive to the FortiGate, the unit has already deleted the respective sessions. Which TCP session timer must be increased to fix this problem?

- A. TCP half open.
- B. TCP half close.
- C. TCP time wait.
- D. TCP session time to live.

**Answer: D**

5. What configuration changes can reduce the memory utilization in a FortiGate? (Choose two.)

- A. Reduce the session time to live.
- B. Increase the TCP session timers.
- C. Increase the FortiGuard cache time to live.
- D. Reduce the maximum file size to inspect.

**Answer: A,D**

## Thank You for Trying Our Product

\* 100% Pass or Money Back

All our products come with a 90-day Money Back Guarantee.

\* One year free update

You can enjoy free update one year. 24x7 online support.

\* Trusted by Millions

We currently serve more than 30,000,000 customers.

\* Shop Securely

All transactions are protected by VeriSign!

**100% Pass Your NSE7 Exam with Our Prep Materials Via below:**

<https://www.certleader.com/NSE7-dumps.html>